Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2.	2367	29/417,603.07,603.1,603.13-603. 16,603.18,603.2.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:56
L3	7763	360/121-126,317.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:56
L4	5008	451/5,41.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:56
L5	6428	216/22,39,41,48,62,66,67.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:57
L7	62	(flux adj guide) with (magnetic adj shield)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:17
L8	82	(flux adj guide) same (magnetic adj shield)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:06
L9	4	2 and 8	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:58
L10	2	3 and 8	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:59
L111	6	9 or 10	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 08:59
L12	333	360/313,271.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:40
L13	2	8 and 12	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:00

L14	4	10 or 13	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:00
L15	7	9 or 14	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:00
L16	9	("4786991" "4799115" "5038230" "5053892" "5168409" "5187628" "5383064" "5392169" "5465186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:07
L17	1	("5963385").URPN.	USPAT	OR	ON	2006/03/06 09:08
L18	48	(flux adj guide) same (magnetic adj shield) same ((MR near element) or (magnetic adj head) or transducer or (read near (element or head)) or (write near (element or head)))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:10
L19	4	2 and 18	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:11
L20	8040	3 or 12	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:11
L21	3	18 and 20	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:11
L22	15	((flux adj guide) same (magnetic adj shield)).clm.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:13
L23	8	(flux adj guide) with (magnetic adj shield) with (air adj bear\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:16
L24	38	7 and @ad<"20010329"	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:23
L26	173	NEMOTO-HIROAKI.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:25

L27	4	7 and 26	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:26
L28	3	("5583726" " 5600880 " "6538855"):PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:30
L29	1	8 and 28	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:31
L31	1	JP-05114119-\$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:33
L32	1	JP-06150258- \$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:33
L33	1	JP-05258236- \$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:17
L34	2	JP-07244817-\$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:35
L35	0	JP-1153712-\$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:35
L36	2	JP-11053712 - \$. did .	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:36
L37	1	JP-05197926- \$:did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:36
L38	341	360/318,319.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:41
L39	8007	3 or 38	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:41

L40	9	8 and 39	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 09:41
L41	8	("5331493" "5583726" "5644455" "5654854" "5930086" "5958612" "6216242" "6307720").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:44
L42	9	("4786991" "4799115" "5038230" "5053892" "5168409" "5187628" "5383064" "5392169" "5465186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/06 09:45
L43	5	(US-5963385-\$ or US-5648886-\$ or US-5465186-\$ or US-6396670-\$).did. or (JP-10334418-\$).did.	USPAT; JPO	OR	ON	2006/03/06 09:54
L44	4	8 and 43	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:04
L45	1	44 and (polish\$3 or lap\$4)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:04
L46	3	(flux adj guide) same (magnetic adj shield) same (polish\$3 or lap\$4)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:08
L47	226	((magnetic near head) or transducer) same ((ABS or (air ad) bear\$3 adj surface)) same cut\$4 same (polish\$3 or lap\$4))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06:10:09
L48	5	47 and (flux adj guide)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:10
L49	22	(magnetic adj shield) with (less\$2 or short\$3) with (MR adj element)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:19
L50	375	29/603.12.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:19
L51	1	8 and 50	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/03/06 10:19

3/6/06 10:19:59 AM



IEE Conference

Proceeding

IEEE STD IEEE Standard

Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((flux guide) <and> (magnetic shield))<in>metadata)) <and> (pyr >= 1950 <a..." [e-mail Your search matched 1 of 1322957 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search ((((flux guide) <and> (magnetic shield))<in>metadata)) <and> (pyr >= 1950 <and> py Check to search only within this results set » Key Display Format: @ Citation C Citation & Abstract IEEE JNL IEEE Journal or Magazine _ view selected items Select All Deselect All IEE JNL IEE Journal or Magazine

IEEE Conference Proceeding

1. Study of recessed MR sensors with unlaminated and multi-laminated flux Tsang, C.; Krounbi, M.; Kasiraj, P.; Lee, R.; Magnetics, IEEE Transactions on Volume 28, Issue 5, Part 2, Sep 1992 Page(s):2289 - 2291

Digital Object Identifier 10.1109/20.179471

AbstractPlus | Full Text: PDF(344 KB) IEEE JNL

Rights and Permissions

Help Contact Us Privacy &:

@ Copyright 2006 IEEE --

Indexed by **#Inspec**

IEEE CNF

IEE CNF